

STANDARD PRODUCT FEATURES

- 3.7 litre Slant Six engine -B150, 250
- Fuel Efficient 4 Speed Manual Transmission with "Overdrive" -B150, 250
- Independent Front Suspension.
- Power Steering on B250, 350
- Power Brakes on B250, 350 Van and all Wagons.
- 83 litre (18 Imp. Gal.) Fuel Tank
- Extensive use of Galvanized Steel
- Electronic Ignition System
- Dual Bright Outside Rearview Mirrors
- In-Cab Hood Release
- Wagon seating up to 15

Wade opening Double Sale Doors

| VAN/WAGON SPECIFICATIONS | B150 VAN | B250 VANT | MAXI VANTT | 8150 WAGON | B250 WAGON† | MAXITT WAGON | |
|------------------------------|-------------------------|-------------------------|----------------------|-------------------------|-------------------------|---------------------|--|
| Wheel Base (inches) | 109.6 | 127.6 | 127.6 | 109.6 | 127.6 | 127.6 | |
| Overall Length (inches) | 178.9 | 196.9 | 222.9 | 178.9 | 196.9 | 222.9 | |
| Overall Width (inches) | 79.8 | 79.8 | 79.8 | 79.8 | 79.8 | 79.8 | |
| GVW* (lbs.) | 4,700 | 6.010 | 7,500 | 5,300 | 6,010 | 7,500 | |
| Payload Allowance (lbs.)** | 1,300 | 2,445 | 3,390 | 1,580 | 2,125 | 3,085 | |
| Van Cargo Capacity (cu. ft.) | 201.5 | 240.5 | 296.9 | - | - | | |
| GAWR* (lbs.) Front | 2,560 | 2,770 | 2.870 | 2,560 | 2,770 | 2.870 | |
| GAWR* (lbs.) Rear | 2.684 | 3,404 | 4,720 | 2.904 | 3,404 | 4,720 | |
| Spring Ratings (lbs.) Rear | 1,375 | 1,810 | 2,360 | 1,610 | 1,810 | 2,360 | |
| ENGINE | 3.7 Litre Slant-Six | 3.7 Litre Slant-Six | 5.2 Litre 8 Cyl. | 3.7 Litre Slant-Six | 3.7 Litre Slant-Six | 5.2 Litre 8 Cyl. | |
| TRANSMISSION | 4 Sp. Man. Overdrive | 4 Sp. Man. Overdrive | 3 Speed Automatic | 4 Sp. Man. Overdrive | 4 Sp. Mar. Overdrive | 3 Speed Automati | |

"GVW - Gross Vehicle Weight (Base) "GAWR - Gross Axle Weight Ratings "Includes occupants & options

Base 8250 is 109 up. 8250 Main also available. †1Standard 8350 is Non-Main

BUSO Royal Mari Wagon







RAM VANS & WAGONS





Rauser Ram Four-Wheel-Drice

ERT RUCKS

D150 DODGE RAM MISER

35* MPG. 8.2L/(100 km)

Highway

30* MPG 9.5L/(100 km) City/Hwy.

Fuel ratings as published in Transport Canada Fall Fuel Consumption Guide

uilt-in value describes Dodge Vans & Wagons for '82. Buyers have always looked to Dodge for outstanding engineering, creative use of space and overall handsome appointments. Your Ram Tough Dodge Van or Wagon for '82 boasts Unibody Construction for lightweight, sturdy, long lasting use. Thousands of welds unify frame and body ... no attachments to loosen, no rattles to develop. Built in line to stay in line.

Dodge for '82 ... rugged elegance! The room you want, the performance you want, the good looks you want, and the Ram Tough durability you've come to expect from Dodge. They all add up to a value packed vehicle that will let you work or play the way you want.

odge has always enjoyed a reputation for quality engineering and manufacturing. Good ideas, careful workmanship and durable materials make the big difference. Every truck buyer looks for three things in a truck—the ability to hold and carry a load, driver and passenger comfort and safety, and long-lasting durability. Dodge Power-Packed Ram Trucks give you all three, in great measure. For 1982, Dodge offers even greater value and variety, from our Dodge D150 Miser—all the way up to the luxurious Royal SE Sweptline. And there's three cab styles to choose from - the 3 Man Cab, the Club Cab and Crew Cab. Two-wheel and four-wheel drive - take your pick

| TRUCK SPECIFICATIONS | RAM 50 D150 PI | | CKUP D250 P | | PICKEP D350 PICK | | 1CKUP | FOUR-WHEEL-DRIVE | | CHASSIS-CAB | |
|-----------------------------|----------------|---------|-------------|---------|------------------|---------|---------|------------------|---------|-------------|--------|
| | PICK-UP | CONV. | CLUB | CONV. | CLUB | CONV. | CREW | W150 | D250 | D250 | D350 |
| Wheel Base (inches) | 109.4 | 131† | 149 | 131 | 149 | 131 | 165 | 115†† | 131 | 131 | 135††* |
| Overall Length (inches) | 184.6 | 210.78 | 228.81 | 210.78 | 228.81 | 210.78 | 244.78 | 190.78 | 210.78 | 206.67 | 216.67 |
| Overall Width (inches) | 65,0 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 86.0 |
| GVW* (lbs.) | 4.045 | 4,800 | 6.010 | 6,400 | 7,500 | 8,510 | 8,510 | 6.010 | 6,900 | 7,500 | 10,000 |
| Maximum Payload | 1,500 | 2,440** | 1.980 | 3,505** | 3,275 | 5.700** | 5,135** | | 3.185** | 3.895 | 6,075 |
| GAWR* (lbs.) Front | 1.810 | 2,684 | 3,200 | 3,000 | 3,300 | 3,300 | 3,830 | 3,280 | 3,280 | 3.200 | 3,300 |
| GAWR* (Ibs.) Rear | 2,470 | 2,540 | 3,600 | 4.090 | 5,360 | 5,500 | 5,500 | 3,600 | 4,090 | 5.360 | 7,200 |
| Spring Ratings (lbs.) Front | 905 | 1,300 | 1,500 | 1.500 | 1,700 | 1,700 | 1,915 | 1.640 | 1,640 | 1,600 | 1.650 |
| Spring Ratings (lbs.) Rear | 1,235 | 1,270 | 1,820 | 2.175 | 2,725 | 2.725 | 2,750 | 1,820 | 2,725 | 2,725 | 3,650 |

BASE ENGINE/TRANSMISSION:

- 2.0 Litre with 4-Speed Manual on Ram 50 Custom
- 3.7 Litre (225) 1-bbl. Slant-Six with 4-Speed Overdrive Manual on D150, W150, 115" and 131" wb., and D250 6400 GVW.

• 5.2 Litre (318) 2-bbl. B-cyl. with Wide Ratio 4-Speed Manual on D150, W150, 149" wb. (Club Cab), D250 7500 GVW, and all D350, W250, W350.

*GVW - Gross Vehicle Weight (Base) *GAWR - Gross Arie Weight Ratings *With optional GVW. All psyloads shown include occupants 6 options.

1Base D750 is 115" uib 11131" & 149" uib also avail. 111131" 149" & 159" uib. also available

Ann 50 Curren

District Story Story







0350 Cres Cab Suspanse Rickup such dual year subsets

STANDARD PRODUCT FEATURES

- 3.7 litre Slant Six engine
- ◆ Electronic Ignition & Spark Control
- Carbon Steel Frame with Reinforced Cross-Member
- 8-cyl. Engines over 6000 GVW Can Use Regular Leaded Gas
- 75 litre (16.5 imp, Gal.) Fuel Tank
- Power Steering Standard on 4-Wheel Drive Models
- Extensive use of Galvanized Steel
- Dual Bright Outside Rearview Mirrors
- Easy-Off Tailgate on Sweptline Pickups
- Rear Jump Seats and Flip-out Quarter Window on Club Cab
- AM Radio (Pickup Models)
- In-Cab Hood Release

RAM TOUGH TRUCKS 182 RAMUE LEADERS FOR 182 VALUE LEADERS

MAKE DODGE YOUR CHOICE

Carrie Santa

DISOFANIA CANADA CANADA







STANDARD SAFETY FEATURES (North American Built Trucks)

- Backup Lights
- Brake System
 Warning Light
- Directional Signals Parking and Taillamps.
 Front and Rear
- Dual Braking System with Separate Brake Fluid Reservoirs in the Master Cylinder
- Electric Windshield
 Washers and Wipers
- Energy-Absorbing Steering Column
- Front Disc Brakes
- Glare-Reduction
 Measures for Windshield
 Wipers, Instrument
 Panel and Steering Wheel
- Inside Hood Lock
 Release
- Ignition and Steering
 Column Lock
- Inside and Outside
- Rearview Mirrors
 Padded Instrument
- Recessed Inside
 Door Release Handles

Panel and Sun Visors

- Dodge Sweptline Club Cab-
- Resillent Window
 Crank Knobs
- · Safety-Rim Wheels
- Side Marker Lights and Reflectors
- Traffic Hazard Warning
 Flasher System
- Unibelt Restraint
 System with Tension
 Relief Feature

ngineering that lets you do tough truck jobs without the hard work it used to take. Dodge Ram Tough Pickup and Chassis-Cab models have it all—underneath, where it really counts.

For work or play: satisfaction and pleasure for a long, long time.

Frame

Made of high-strength carbon steel and reinforced with seven cross-members for rigidity, stability and toughness.

Engine

Remarkable performance and durability with the 3,7 litre Slant Six Engine — overhead valves with hydraulic lifters, 30 degree tilt cylinder block, tin plated aluminum alloy pistons and cast iron crankshaft.

Transmission

Job tested 4-speed manual overdrivewide-ratio 4-speed on all Power Rams.

Suspension

Rugged leaf-spring rear suspension matched to load capacity.

Shock Absorbers

Built to handle the job and suspensiontuned to give you smooth riding and handling.

Steering

Manual steering made easier with a recirculating steel ball design mechanism that reduces friction — power steering on 4 wheel drive pickups.

Brakes

Dual Braking System — disc in front: easy to operate, reliable and fade resistant for sure and steady stops — rear drum brakes complete the system.

Tires

Radial tires (P-metric) are standard on lower GVW models for reduced roiling resistance and greater fuel economy.


Corrosion Protection

With a generous use of galvanized steel, dipping, spraying, washing and cleaning before priming and then coating with high-gloss acrylic enamel. Longer body life and a better tooking truck is now possible — even in our hard Canadian

Underneath it all is one tough truck




Get more with Dodge built-in value





All product illustrations and specificutions are based on authorized information. Although all descriptions are believed corned of publication, accuracy common by guaranteed. Some of the equipment shares on product illustrations is optional at eather cost. Coryster Cenada Ltd. reserves the right to make changes from time to time, without notice or obligation, in specifican, color and nationals, and to change or discontinue models. Certain models, purchages and options are publical to specific requirements and restrictions. Ask your double for latest information.



Printed in Canada January 1982